




Toll Free 800-353-6229



## Maximum Compaction, Minimum Footprint

### *Food Industry RotoPac Compactor*

<b>Dimensions</b>	86.5" x 51" x 61" (220 cm x 130 cm x 155 cm)	<b>Manufactured by:</b>	KenBay, PO Box 242, Mendham NJ 07945 Tel. 973-543-3200 <a href="http://www.kenbay.com">www.kenbay.com</a>
<b>Working</b>	119" x 51" x 61" (302 cm x 130 cm x 155 cm)	<b>Electrical</b>	240/480v 3-phase 14amp/7amp 5 HP (4 kw) Electric motor, 50/60 hertz 24V A.C. Control Circuit Voltage
<b>Loading Height</b>	58" (147 cm)	<b>Torque</b>	4,400 ft-lbs at compaction drum surface
<b>Weight</b>	2,690 lbs (1,220 kgs)	<b>Compacted Bags</b>	Weight: 500- 950 pounds (227 – 431 kgs) Dimensions: 1.8 cubic yds (1.4 cubic meters)
<b>Safety</b>	Front door: machine will not operate if lockable door is open. Emergency stop button conveniently located. Option to keep loading door locked when in operation. Motor overload protection. Mains Isolator lockable.		

The RotoPac is used extensively in the food industry. The stainless steel version is used in those environments where stainless steel is required. The RotoPac works great for both wet and dry waste by sealing the bag after being filled with waste. A very common use is that of compacting 50 lb bags used nearly everywhere in the baking industry. Many users utilize their RotoPac compactors for recycling cardboard and plastic by placing it where ingredients are unboxed.

The unique characteristics of the original rotary arm compactor:

1. Over 6 to 1 compaction reduces trips to hauler's container and hauler pickups
2. Continuous compaction for high compaction volumes, up to 250 lbs/hour
3. Compaction of wet and dry compactable waste
4. **Reduces carbon footprint by fewer collections and less landfill space required**
5. Saves space on your facility floor (footprint of 4' x 5'), or place outside
6. 14 years of quality and durability, low maintenance cost
7. Numerous safety features incorporated into its design
8. Reduces forklift traffic and displaces labor costs
9. Requires no supervision or skilled operator, merely input trash and press "Run" button
10. No installation costs, just connect to 240V, 460V or 600V 3-phase electrical source

Waste can be fed into the RotoPac in varying manners:

- Conveying through the top
- Blowing waste into it from above
- Gravity feed through a chute
- Manual feed through the loading door

The RotoPac's unique design makes it ideal for compacting:

- Large volumes of trash
- Plastic rapidly for recycling
- Cardboard and paper without breaking down boxes